

LEUMEX®

LUBRICANTS

Product Range
2024





Die Marke **LEUMEX®**

Viele Jahrzehnte praktischer Erfahrung im Automobil- und Industrieschmierstoffgeschäft bilden das Fundament von „Leumex®“, einer Marke der Leprinxol GmbH.

Leumex® ist „Made in Germany“ und bietet hochwertige Motorenöle und andere Schmierstoffe für den Automobil- und Industriebereich, nicht nur Standard-schmierstoffe, sondern auch Spezialprodukte für höchste Anforderungsprofile.

Neben den mineralölbasischen Sorten gibt es die biologisch abbaubare Schmierstoffe auf der Basis nativer Öle und synthetischer Ester sowie anspruchsvolle synthetische Schmierstoffe.

Leumex® produziert und vermarktet heute etwa **600 verschiedene Produkte**, die alle wichtigen Anforderungen der Industrie und des Gewerbes erfüllen.

Qualitätsfaktoren

- Gleichbleibend hohe Produktqualität
- Sicherstellung der Prozesssicherheit
- Überwachung unserer Produkteigenschaften
- Zusätzliche Prüfungen durch renommierte Prüfinstitute
- Die Mischanlagen sind nach Qualitäts-Management-Systemen zertifiziert

**Hier finden sie eine Auswahl an unseren hochwertigen Produkten.
Weitere Produkte aus allen Schmierstoffbereichen auf Anfrage erhältlich!**

**Here you will find a selection of our high-quality products.
Further products from all lubricant ranges available on request!**

The brand **LEUMEX®**

Many decades of practical experience in the automotive and industrial lubricant business form the foundation of “Leumex“, a brand of Leprinxol GmbH.

Leumex® is “Made in Germany“ and offers high-quality engine oils and other lubricants for the automotive and industrial sector, not only standard lubricants but also special products for the most demanding requirements.

In addition to the mineral oil-based grades, there are biodegradable lubricants based on native oils and synthetic esters as well as sophisticated synthetic lubricants.

Today, Leumex® produces and markets about **600 different products**, which meet all the important requirements of industry and commerce.

Quality factors

- Consistently high product quality
- Ensuring process reliability
- Monitoring of our product properties
- Additional tests by renowned testing institutes
- The mixing plants are certified according to quality management systems



ENGINE OIL PCMO

Empfohlen für/Recommended for:

LEUMEX® Extra 0W-16

API SP Resource Conserving
ILSAC GF-6B

LEUMEX® Extra 0W-20

API SP
ILSAC GF-6A
GM dexos1 Gen 3
Ford WSS-M2C947-A
Ford WSS-M2C947-B1
Ford WSS-M2C962-A
Chrysler MS-6395
Daihatsu, Honda, Kia
Isuzu, Lexus, Mazda
Nissan, Subaru, Suzuki
Toyota

LEUMEX® Extra LL 0W-20

ACEA C5
VW 508 00 / 509 00
Porsche C20

LEUMEX® Extra 0W-30

ACEA A3/B4
API SL/CF
BMW Longlife-01
MB 229.5 / 229.3
Opel GM-LL-A-025
Opel GM-LL-B-025
Renault RN 0700 / 0710
Volvo VCC 95200356
VW 502 00 / 505 00

LEUMEX® Extra 0W-40

ACEA A3/B4
API SN/CF
Porsche A40
BMW Longlife-01
MB 229.3 / 226.5
VW 502 00/505 00
Renault RN 0700/RN 0710

LEUMEX® Extra 5W-20

API SP
ILSAC GF-6A
GM dexos1 Gen 3
GM 6094-M
Ford WSS-M2C945-A
Ford WSS-M2C945-B1
Ford WSS-M2C930-A
Ford WSS-M2C960-A
Chrysler MS-6395
Daihatsu, Honda, Kia
Isuzu, Lexus, Mazda
Nissan, Subaru, Suzuki
Toyota

LEUMEX® Extra 5W-30

ACEA C3
API SN/SN Plus
MB 229.31/229.51/229.52
VW 502 00/505 00/505 01
GM dexos 2
BMW LL-04
Opel OV0401547

LEUMEX® Extra LL III 5W-30

ACEA C3
API SN
VW 504.00/507.00
MB 229.31/229.51/229.52
BMW LL-04
Porsche C30

LEUMEX® Extra 10W-30

ACEA A3/B4
API SN
MB 229.1
VW 505 00
Jeep
Toyota
Chrysler MS-6395
GM 6094

LEUMEX® Extra 5W-40

ACEA A3/B4
API SN/CF
MB 229.3
BMW Longlife-01
VW 502 00/505 00
Renault RN 0700/RN 0710
PSA B71 2296
Opel GM-LL-B-025
Porsche A40
Fiat 9.55535-M2

LEUMEX® Extra 10W-40

ACEA A3/B4
API SL/CF
MB 229.1
VW 502 00/505 00



ENGINE OIL HDMO

Empfohlen für/Recommended for:

**LEUMEX®
Super Cargo 15W-40**

**LEUMEX®
Super Cargo 20W-50**

**LEUMEX®
Super Cargo SAE 50**

**LEUMEX®
Cargo Basic 10W-40**

- ACEA E7
API CI-4/SL
Cat ECF-1-a/ECF-2
Cummins CES 20077/20078
Detroit Diesel 93K215
Deutz DQC III-18
DTFR 15B110
Global DHD-1, JASO DH-1
Mack EO-N/EO-M Plus
MAN M 3275-1
MB 228.3
MTU Type 2
Renault VI RLD-2
Volvo VDS-3

ACEA E7/E5/E3/B4/A3
API CI-4/SL
MB 228.3/229.1
MAN M 3275
Volvo VDS-3

ACEA E2
API SJ/CF-4
MB 227.0
MAN M 270
Allison C-4
Caterpillar TO-2
MIL-L-2104 E
MIL-L-46152 E
MTU Ötyp 1

ACEA E2-96
API CF-4/SH

**LEUMEX®
Cargo Basic 20W-50**

**LEUMEX®
Cargo Basic SAE 50**

- ACEA A3/B4/E2
API SJ/CF-4
Volvo VDS
MTU
MB 228.17229.1
MAN 271
VW 505 00
- API SF/CD



TRANSMISSION FLUID ATF

Empfohlen für/Recommended for:

**LEUMEX®
ATF III**

**LEUMEX®
ATF 8G**

- GM Dexron III-H
MB 236.1/236.5/236.6/236.7
MAN 339 Typ Z1/V1
Ford Mercon
Allison C-4, Cat TO-2
Voith H55.6335.3x(G607), Volvo 97341
ZF TE-ML 03D/0 4D/09/11/14A/17C
- Toyota/Lexus/Scion WS
VW/Audi G 052 533, G 055 005 (-A,A2)
VW/Audi G 055 540 (A2), G 060 162
(A1, A2, A6)
ZF Lifeguardfluid 5/6

**LEUMEX®
ATF VI**

- DEXRON® VI
DEXRON® III G/H
DEXRON® II D/E
Aisin Warner AW-1
Aisin Warner JWS 3324
ATF Type 3.0/Type 3.1
Bentley P/N PY112995PA
BMW/Mini ATF 3+
BMW/Mini P/N 83 22 0 142 516
BMW/Mini P/N 83 22 0 397 114
BMW/Mini P/N 83 22 2 163 514 (BMW 8072 B)
Chrysler/Dodge/Jeep P/N 05127382AA
Chrysler/Dodge/Jeep P/N 68043742AA
MB 236.12, 236.14, 236.41
FORD/Lincoln/Mercury P/N XT-6-QSP or-DSP [SP]
Ford/Lincoln/Mercury XT-10-QLV (LV).
GM/GMC/Opel/Saturn AW1
P/N 88863400, 88863401
Honda/Acura DW-1
Honda 082000-9017 (ATF Type 3.1)
Hyundai/Kia NWS-9638 T-5
Hyundai/Kia P/N 040000C90SG
Hyundai/Kia SP-IV / SPH-IV
Jaguar/Land Rover Fluid 8432
Land Rover P/N TYK500050, LR0022460
Maserati P/N 231603
Mazda FW 6A EL, FW 6AX EL
Mazda FZ, Mercon LV
Mitsubishi ATF-J3 / Dia-Queen / ATF-PA
Nissan/Infinity Matic-S
Porsche P/N 000 043 304 00
Saab P/N 93 165 147-AW-1
Shell 3353, 134, M-1375.4, 12108
SP-IV, SPH-IV, SP-IV-RR
Toyota Type WS (JWS 3324)

**LEUMEX®
ATF 9G**

**LEUMEX®
CVT Fluid**

- BMW 83 22 2 289 720 (ATF3+)
VW Audi G 060 162
Chrysler 68157995AA
Fiat 9.55550-AV5, Jaguar 02JDE 26444
Land Rover LR 023288
ZF 5671 090 312
- BMW 8322 0 429 154
BMW 8322 0 429 159
BMW Mini Cooper EZL799/EZL799A
Chrysler/Dodge/Jeep NS-II
Daihatsu Ammix CVT/DC/DFC/DFE/TC
Ford CVT 23/WSS-M2C928-A
GM/Saturn DEX-CVT
Honda ATF-Z1/HCF2/HMMF
Hyundai/Kia SP-III
JASO M358
Mazda JWS 3320/GM DEX-CVT
MB 236.20/A 001 989 46 03
Mitsubishi NS-II/SP-III, CVT J-1/J4/J4+
Mopar CVTF+4
Nissan NS-I/NS-II/NS-III
Subaru ECVT/iCVT/iCVT FG/NS-2
Subaru Lineartronic High Torque (HAT) CVTF
Subaru Lineartronic chain CVTF/CVTF II
Suzuki CVTF TC/CVT/Green 1/2/1V/NS-II
Toyota CVTF TC/CVTF FE
VW G 052 180/052 516
- BMW Drivelogic 7-speed (Getrag)
BMW 6-speed DCT
BMW DCTF-1 (83 220 440 214)
BMW DCTF-1+/DCTF-2
BMW MTF LT-5 (83 22 2167 666)
83 22 0397 244, 83 22 2147 477,
83 22 2 148 578, 83 22 2 148 579,
83 22 2 446 673
Borg Warner, Bugatti Veyron
BYD DCTs, Q/BYD-A1909.0058-2013
Changan DCTF
Citroen / Peugeot 6DCT451 (PSA 9734.S2)
Chrysler Powershift 6-Speed (Getrag) 68044345 EA & GA
DTFR 13C130, Eaton PS-278
Ferrari TF DCT-F3/7-speed (Getrag)
Fiat 9.55550-MZ6
Ford/Nissan Powershift 6-Speed (GFT)/WSS-M2C936-A, part # 1490763/1490761
WSS-M2C-200-D2/XT-11-QDC
Ford WSS-M2C218-A1,
Ford F-DC, part # KU7J M2C218AA
Geely 7 speed
Hyundai/Kia
MB 236.21/236.24/236.22/236.25/239.21
Mitsubishi Diamond Queen SSTF-1
TC-SST 6-Speed (GFT)
Porsche 043 207 29, 043 207 30
000 043 20, 000 043 305 13,
999 917 080 00, 999.917.080.01,
000 043 210 44, 971 094 307 02A,
Porsche/ZF FFL-3, PSA 9734 S2
Renault BOT 450/EDC/EDC 6-Speed (Getrag)/EDC-7
77 11 785 243 (DW5)/DC4/DW6
Volvo Powershift 6-Speed (GFT) 1161838/1161839
VW G 052 536/G 055 536
VW / Audi G 052 512, G 052 182 A2/A6 (fluid), TL 521 82 (spec)
VW G 052 529 A2/A6 (fluid)
TL 52 529 (spec) DSG7=S-Tronic 7 speed
VW (Audi, Seat, Skoda)
VW / Audi G 055 529 (TL 52 529-C)
VW (Audi, Seat, Skoda) 6-speed
VW Golf GTE DQ400E
ZF TE-ML 11 (ZF004743)



GEAR OIL BRAKE FLUID

Empfohlen für/Recommended for:

LEUMEX® Gear SXLB 75W-90 Synthetic

API GL-3/GL-4/GL-5/MT-1
MIL-L-2105D, MIL-PRF-
2105E, SAE J2360
MB 235.8
MAN 341 Typ Z2 / 342 Typ S1
Scania STO 1:1 G, 2:0 AFS
ZF TE-ML 02B/05A/12L/12N
ZF TE-ML 16F/17B/19C/21A
Arvin Meritor 076-N
DAF, Iveco, Mack GO-J
Scania STO 1:0
Volvo 97312
ZF TE-ML 07A/12B/16B
MAN 3343 Typ S/341 Typ E3

LEUMEX® Gear EP 80W-90

API GL-4
MIL-L-2105
MB 235.1
MAN 341 Typ Z2
MAN 341 Typ E1
Ford SQM-2C-9008 A
ZF TE-ML 02B, 17A

LEUMEX® Gear ZF 85W-90

API GL 5
MAN 342 Typ M1
MB 235.0
ZF TE-ML
05A/07A/16C/17B/19B/21A
MIL-L-2105D

LEUMEX® Brake Fluid DOT 4

FMVSS 116 DOT 4
SAE J 1703 F
ISO 4925

LEUMEX® Gear ZF SAE 140

API GL-5
MIL-L-2105 C/D



ANTIFREEZE COOLANT

Empfohlen für/Recommended for:

LEUMEX® Antifreeze Longlife

ASTM D 3306
SAE J 1034

LEUMEX® Antifreeze C12

MB 325.3
VW TL 774 D
Ford WSS-M97B44-D
Opel GM 6277M
MAN 324 SNF

LEUMEX® Antifreeze C12+

MB 325.3
VW TL 774 D
Ford WSS-M97B44-D
Opel GM 6277M
MAN 324 SNF

LEUMEX® Antifreeze C13

VW TL 774 J
Audi
Bentley
Lamborghini
Seat/Skoda



HYDRAULIC OILS

Empfohlen für/Recommended for:

LEUMEX® HYD 32

Hydraulic oil DIN 51524
Part 2-HLP

LEUMEX® HYD 46

Hydraulic oil DIN 51524
Part 2-HLP
FZG test, A/8.3/90:
Load stage 10

LEUMEX® HYD 68

Hydraulic oil DIN 51524
Part 2-HLP
Bosch Rexroth RE 9022001
MAG
Cincinnati Machine P69
Denison Hydraulics
HF2/HF1
FAMUR/Bumech

LEUMEX® HVC 46

Hydraulic oil DIN 51524
Part 3-HVLP



GREASE HEAT TRANSFER FLUID TURBINE OIL TRANSFORMER OIL

Our high quality lubricants are recommended for:

LEUMEX® Grease EP 2

Classification KP 2 K-30 as
per DIN 51 502
Classification
ISO-L-XC(F)CHB2
as per ISO 12924

LEUMEX® Therm M 32

Heat Transfer Oil:
DIN 51522-Q 40
Lubricating Oil:
DIN 51501-L-AN 32
DIN 51517-C 32
DIN 51506-VB 32
Hardening oil

LEUMEX® Turbine 32

Bosch Rexroth
RE 9022001
MAG / Cincinnati Machine P69
Denison Hydraulics HF2/HF1/
FAMUR / Bumech
Hydraulic oil DIN 51524
Part 2-HLP
ISO VG 32/46/68

LEUMEX® Transformer TRS- TRI

IEC 60296
(for inhibited transformer oils)
Section 7.1
DIN 51353 / IEC 62535
ASTM D 1275 B
(without using copper
passivators)
BS-148
(Class II A - inhibited)
CSA C50-08 (Class A + B)
ASTM D3487 / DOBLE TOPS



LEUMEX®

Leprinxol GmbH

Fahrenheitstraße 11 · 28359 Bremen · Deutschland
Telefon/fon: +49 (0) 421 22 300 - 90 · Fax: +49 (0) 421 22 300 - 925
info@leumex.eu · www.leumex.eu